=> IFW: Scan as Doc Code: Doc Date:

SRNT <=

TC 3700 Inventor Search Program

See attached inventor searches for applications and /or patents to help resolve questions of overlapping subject mater. These searches are provided an an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/830,186

- 1) See attached printout of inventors listed in PALM
- 2) See attached EAST Inventor Search Printout shows Inventor search terms

Day : Monday Date: 5/21/2007

Time: 13:47:20

* PALM INTRANET

Inventor Information for 10/830186

Inventor Name	City	State/Country
FUKANUMA, TETSUHIKO	KARIYA-SHI	JAPAN
KAWAGUCHI, MASAHIRO	KARIYA-SHI	JAPAN
ODACHI, YASUHARU	KARIYA-SHI	JAPAN
TAKASHIMA, YOICHI	KARIYA-SHI	JAPAN
NAKAIMA, HIROYUKI	KARIYA-SHI	JAPAN
Appln Info Contents Petition Info Att	y/Agent Info Continu	ity/Reexam Foreign L
Search Another: Application#	Search or Patent#	Search
PCT / Sea	or PG PUBS #	Search
Attorney Docket #	Search	

Search

To go back use Back button on your browser toolbar.

Bar Code #

Back to PALM | ASSIGNMENT | OASIS | Home page

1	US 7210309 B2	20070501	Variable displacement compressor	62/469	417/372	Fukanuma; Tetsuhiko et al.
1	US 7207185 B2	20070424	Vehicle air conditioning apparatus	62/193	417/372; 62/469	Ota; Masaki et al.
1	US 7186096 B2	20070306	Swash plate type variable displacement compressor		417/422	Hibino; Sokichi et al.
1	US 7169287 B2	20070130	Decomposition apparatus and decomposition method	205/688	204/275.1; 204/288.6; 205/742; 588/303	Miura; Toshihiko et al.
1	US 7168359 B2	20070130	Swash plate compressor	92/71		Ota; Masaki et al.
1	US 7163615 B2	20070116	Method of treating substance to be degraded and its apparatus	205/688	204/157.3; 205/742; 210/748; 422/186.3; 423/245.1; 588/303; 588/306; 588/309	Kato; Kinya et al.
1	US 7140846 B2	20061128	Vacuum pump having main and sub pumps	417/245	417/423.1; 418/201.1	Yamamoto; Shinya et al.
1	US 7137267 B2	20061121	Apparatus for variable displacement type compressor	62/228.1	184/6.17; 417/13; 417/14; 417/222.2; 62/229	Murase; Masakazu et al.
1	US 7108837 B2	20060919	Polluted soil remediation apparatus and pollutant degrading apparatus	422/186.3	204/252	Kato; Kinya et al.
1	US 7083707 B2	20060801	Decomposition apparatus and decomposition method	204/228.6	204/275.1	Miura; Toshihiko et al.
1	US 7035980 B2	20060425	Effects of prefetching on I/O requests in an information	711/137	712/207	Kurokawa; Isamu et al.

						I
			processing system			
1	US 7018514 B2	20060328	Method and apparatus for processing substances to be decomposed	204/157.3	588/313	Kato; Kinya et al.
1	US 6970310 B2	20051129	Disk control apparatus and its control method	360/31	360/53; 711/114; 714/6	Kawaguchi; Masahiro et al.
1	US 6940204 B2	20050906	Brushless motor and hermetic compressor assembly including the same motor	310/208	310/179; 310/254	Yamazaki; Akihiko et al.
1	US 6939621 B2	20050906	Plated copper alloy material and process for production thereof	428/647	205/176; 205/181; 205/182; 205/226; 428/648; 428/675; 428/929; 428/935; 439/886; 439/887	Hara; Toshihisa et al.
1	US 6934891 B2	20050823	Storage system having trace information fetching structure and method of fetching the same	714/48		Kawaguchi; Masahiro et al.
1	US 6912783 B2	20050705	Method of manufacturing a valve plate for compressor	29/888.02	29/890.13; 72/379.6; 72/703	Tanaka; Hirohiko et al.
1	US 6910344 B2	20050628	Compressor torque estimate device, engine controller and method of estimating compressor torque	62/228.3	417/12; 417/213; 417/34; 62/228.1; 62/228.5; 62/244	Matsubara; Ryo et al.
1	US 6893368 B2	20050517	Driving force transmission apparatus	474/70	60/698	Fujiwara; Hideki et al.
1	US 6874989 B2	20050405	Vacuum pump	415/119	415/177; 415/214.1; 417/310; 417/440; 417/572	Kuramoto; Satoru et al.

B2	1	US 6870293 B2	20050322	Motor	310/199	310/156.47; 310/183; 310/254	Kataoka; Hisakazu et al
System and storage control device used therefor 1 US 20050201 Non-contact electric power supply system for a rail-guided vehicle 191/10 104/130.06; 104/45; 191/12R; 191/12R; 191/12R; 191/12R; 191/12R; 191/22R 1 US 6836416 B2	1	6869272		and control method		,	Yasuharu et al.
1 US	1	6854023	20050208	system and storage control device used	710/9	711/114;	Kurokawa; Isamu et al.
Conversion circuit Conversion Conversion circuit Conversion circuit Conversion Conversion	1	6848547	20050201	power supply system for a rail-guided	191/10	104/45; 191/12R;	Yasuharu et
decomposing pollutants and apparatus for the same	1	6836416	20041228		363/132		Ishihara; Koshiaki et a
1 US	1	6833115	20041221	decomposing pollutants and apparatus for the	422/121	210/748	Kato; Kinya e al.
Control Cont	1	6821094	20041123	transmission system having first and second clutch	417/223	1	Murakami; Kazuo et al.
6786705 displacement 92/12.2; 92/13 Hajime et	1	6800257	20041005	preparing trichloracetic acid and apparatus for	422/186.3	210/188; 210/192; 210/748; 210/750;	Kuriyama; Akira et al.
6759142 B2 material and process for production thereof 205/181; Toshihisa 205/182; 205/226; 205/241; 428/648; 428/675;	1	6786705	20040907	displacement	417/274	92/12.2;	Kurita; Hajime et al.
428/935	1	6759142	20040706	Plated copper alloy material and process for production	428/647	205/181; 205/182; 205/226; 205/241; 428/648; 428/675; 428/929;	Toshihisa et

	6754727 B2		system and storage control device used therefor		711/114; 711/170	Isamu et al.
1	US 6751971 B2	20040622	Variable displacement type compressor, air conditioner with the variable displacement type compressor, and method for controlling displacement in the variable displacement type compressor	62/228.5	62/229	Kawaguchi; Masahiro et al.□
1	US 6725681 B2	20040427	Air conditioner	62/228.5	417/222.2; 417/223; 417/374; 417/45; 62/133; 62/244	Adaniya; Taki et al.
1	US 6719538 B2	20040413	Rotating apparatus	417/223	417/362; 417/374	Ota; Masaki e al.
1	US 6719537 B2	20040413	Compressor and pulley for compressor	417/223	417/269	Kawaguchi; Masahiro et a
1	US 6712589 B2	20040330	Scroll compressors	417/410.5	418/188; 418/55.3; 418/55.5; 418/57	Mori; Tatsush et al.
1	US 6711037 B2	20040323	Power supply apparatus	363/98	363/132	Odachi; Yasuharu et al.
1	US 6707204 B2	20040316	Rotational unit	310/102R	417/16; 417/362	Odachi; Yasuharu et al.
1	US 6705444 B2	20040316	One-way clutch unit	192/45	192/110B	Fujiwara; Hideki et al.
1	US 6705102 B2	20040316	Vehicular air- conditioner	62/228.1	417/222.2; 417/42; 417/44.11	Adaniya; Tak et al.
1	US 6699370	20040302	Process and system for decomposing	204/157.3	204/158.2; 96/243;	Kuriyama; Akira et al.

	•					
	B2		pollutants		96/256	
1	US	20040210	Oil leak prevention	418/104	277/417;	Yamamoto;
-	6688864		structure of vacuum		277/424;	Shinya et al.
	B2		pump	,	418/206.6	
1	US .	20040210	Oil leak prevention	418/104	418/206.6;	Hoshino;
٠	6688863	200 10210	structure of vacuum		418/206.8;	Nobuaki et al.
	B2		pump		418/88	
1	US	20040210	Means for restricting	417/222.2	92/12.2	Uneyama;
•	6688852	20040210	drive shaft	1177222.2	72,12.2	Hiroshi et al.
	B2		movement for a			i i i i i i i i i i i i i i i i i i i
	52		piston type			
			compressor			
1	US	20040120	Variable	62/228.3	417/222.2;	Yoshida;
•	6679078	200 10120	displacement	02/220.5	62/229	Hiroyuki et al.
	B2		compressors and			
	,		methods for			
			controlling the same			
1	US	20040106	Apparatus and	417/222.2	417/213;	Fukanuma;
•	6672844	20040100	method for	1177222.2	62/228.3;	Tetsuhiko et
	B2		controlling variable		91/504	al.
	52		displacement		717501	
			compressor			
1	US	20031230	Motor Apparatus	318/700	318/138;	Odachi;
•	6670784	20001200	and control method		318/254;	Yasuharu et
	B2		therefor		318/439;	al.
					318/618	
1	US	20031216	Shaft seal structure	418/104	277/400;	Yamamoto;
	6663367		of vacuum pumps		277/430;	Shinya et al.
	B2				418/206.6;	_
	×				418/88	
1	US	20031216	Scroll type	418/55.2	418/178;	Mori; Tatsush
	6663365		compressor		418/55.4	et al.
	B2			1		
1	US ·	20031216	Variable	417/222.2	417/269	Kubo; Hiroshi
	6663355		displacement			et al.
	B2		compressor			
1	US	20031216	Air-conditioning	62/228.1	123/339.17;	Suitou; Ken et
	6662580		system for vehicle		417/374;	al.
	B2		and its control		417/411;	
			method		417/42;	
					62/230	
1	US	20031209	Shaft seal structure	418/104	418/141;	Yamamoto;
	6659747		of vacuum pumps		418/206.6;	Shinya et al.
_	B2				418/88	
1	US	20031209	Variable	417/222.1		Takenaka;
	6659733	1	displacement	l		Kenji et al.

	B1		compressor			
1	US 6659227 B2	20031209	Oil leak prevention structure for vacuum pump	184/6.16	277/303	Yamamoto; Shinya et al.
1	US 6640562 B2	20031104	Air-conditioning system for vehicle and its control method	62/133	62/228.5; 62/236; 62/323.3	Odachi; Yasuharu et al.
1	US 6637223 B2	20031028	Control apparatus for variable displacement compressor	62/158	417/222.2; 62/228.3	Ota; Masaki et al.
1	US 6619929 B2	20030916	Rotational apparatus	417/223	310/113; 417/319; 417/374	Adaniya; Taku et al.
1	US 6617727 B2	20030909	Vehicular rotational apparatus	310/75R	310/76; 310/78; 310/92; 417/374; 62/133	Iwasa; Jiro et al.
1	US 6599431 B2	20030729	Purifying apparatus for contaminated water and ground water and method thereof	210/748	204/232; 204/554; 210/150; 210/188; 210/192; 210/218; 210/806	Kawaguchi; Masahiro et al.
1	US 6589020 B2	20030708	Control valve for variable displacement compressor	417/222.2	62/228.3; 62/228.5	Kimura; Kazuya et al.
1	US 6584886 B2	20030701	Compressor	92/71	92/155	Sugiura; Manabu et al.
1	US 6582200 B2	20030624	Swash plate compressor having shoes made of a magnesium-based material	417/222.2	91/499; 92/71	Kato; Takayuki et al.
1	US 6581507 B2	20030624	Single-headed piston type swash plate compressor	92/71	92/153	Mizutani; Hideki et al.
1	US 6579071 B1	20030617	Structure for suppressing pulsation in compressor	417/269	181/403; 417/312; 417/540	Tarutani; Tomoji et al.

1	US 6578372 B2	20030617	Apparatus and method for controlling variable displacement compressor	62/115	62/228.3; 62/228.5	Fukanuma; Tetsuhiko et al.
1	US 6572341 B2	20030603	Variable displacement type compressor with suction control valve	417/213	251/129.02; 251/129.15; 417/270	Kimura; Kazuya et al.
1	US 6558133 B2	20030506	Variable displacement compressor	417/222.2	417/269; 92/71	Fukanuma; Tetsuhiko et al.
1	US 6557360 B2	20030506	Compressor torque computing method, air-conditioning system and engine control apparatus	62/133	62/229	Matsubara; Ryo et al.
1	US 6554594 B2	20030429	Shaft seal structure for vacuum pump	418/104	418/206.6; 418/79	Yamamoto; Shinya et al.
1	US 6544016 B2	20030408	Scroll compressors	418/55.1	418/188; 418/270	Gennami; Hiroyuki et al.
1	US 6538170 B2	20030325	Polluted soil remediation apparatus, polluted soil remediation method, pollutant degrading apparatus and pollutant degrading method	204/158.2	204/157.3; 250/253; 405/128.45; 588/306; 588/320; 588/406	Kato; Kinya et al.
1	US 6537037 B2	20030325	Variable displacement compressor and air conditioning apparatus	417/213	137/487.5; 417/270; 62/228.5	Ota; Masaki et al.
1	US 6532860 B2	20030318	Piston type compressor and inner mold for making the same	92/71		Ota; Masaki et al.
1	US 6532858 B2	20030318	Electric compressor	92/71	417/410.1; 417/410.3	Fujii; Toshiro et al.
1	US 6526772 B2	20030304	Apparatus and method for controlling electric	62/228.4	62/229	Suitou; Ken et al.

			•			
			compressor			
1	US 6524079 B1	20030225	Alignment means for the swash plate of a variable-capacity swash-plate type compressor	417/269	91/499; 92/12.2	Kimura; Kazuya et al.
1	US 6524077 B2	20030225	Control valve for variable displacement compressor	417/222.2	62/228.3; 62/228.5	Suitou; Ken et al.
1	US 6519960 B2	20030218	Air conditioner	62/228.3	417/222.2; 73/861.66	Suitou; Ken et al.
1	US 6517321 B1	20030211	Variable displacement compressor	417/222.1	417/222.2	Takenaka; Kenji et al.
1	US 6514049 B2	20030204	Compressor control valve with two independently operated check valves, wherein the crank chamber pressure is the control pressure, and the monitor pressure is the suction pressure	417/222.2	137/601.13; 137/601.14	Mera; Minoru et al.
1	US 6514048 B2	20030204	External control variable displacement compressor	417/222.2	417/222.1; 417/269	Makino; Yoshihiro et al.
1	US 6511295 B2	20030128	Compressors	417/44.1	62/259.2	Suitou; Ken et al.
1	US 6510699 B2	20030128	Displacement control apparatus for variable displacement compressor	62/133	236/79; 417/222.2	Ota; Masaki et al.
1	US 6508071 B2	20030121	Air conditioner and displacement control valve for variable displacement compressor	62/228.3	417/222.2; 73/861.53	Ota; Masaki et al.
1	US 6505473	20030114	Vehicle air conditioner and	62/133	62/228.3	Suitou; Ken et al.

· I	B2 ·		method for	İ		
	B2				·	
		•	controlling vehicle	•		
			air conditioner	,		
1	US	20021126	Displacement	62/133	62/228.3;	Kawaguchi;
	6484520		control apparatus for		62/228.5	Masahiro et al.
	B2		variable			
			displacement			
			compressor,			
			displacement control			
			method and			
			compressor module	44.7/2000	105/454 6	77.
1	US	20021119	Control valve and	417/222.2	137/454.6;	Kimura;
	6481976		variable capacity		251/61.5;	Kazuya et al.
	B2		type compressor		417/199.1;	
			having control valve		417/222.1;	
					417/269;	•
					417/295	
1	US	20021119	Air conditioner	62/209	62/228.3	Ota; Masaki et
	6481227					al.
	B1					
1	US	20021029	Torque limiting	192/56.5	192/53.6	Ota; Masaki et
	6471024	20021029	mechanism	172/30.3	172/33.0	al.
1			Incenament			ai.
	B2	20021015	C11	119/55 6	417/260	Taybai Chinii
1	US	20021015	Scroll compressors	418/55.6	417/369;	Tsubai; Shinji
	6464481		•		418/188;	et al.
	B2				418/55.1;	
					418/55.5;	,
					418/57	
1	US	20020924	Control apparatus	62/115	62/227;	Ota; Masaki et
1 1	6453685		and control method		62/228.3	al.
	B2 ·		for variable			
			displacement			
			compressor			
1	US	20020917	Air-conditioning	62/228.3	417/222.2;	Kimura;
	6449971		system		62/160	Kazuya et al.
	B1					
1.	US	20020917	Vehicle air	62/133	62/158;	Murao;
*	6449965	20020717	conditioner	32,133	62/229;	Kazushige et
	B1		Conditionor		62/323.4	al.
1	US	20020910	Control valve for	417/222.2	137/565.16	Ota; Masaki et
1		20020910	•	41//222.2	13//303.10	
	6447258		variable		*	al.
.	B2		displacement			
Ш		1	compressor	1		1
1 . '				601655	448/225	0. 15
1	US	20020820	Control valve and	62/133	417/222.2;	Ota; Masaki et
1	US 6434956 B1	20020820		62/133	417/222.2; 62/228.3	Ota; Masaki et al.

•	· -		conditioning system			
1	US 6425254 B1	20020730	Control device for variable displacement compressor	62/133	62/228.3	Ota; Masaki et al.
1	US 6422830 B1	20020723	Fluid machine	417/222.2		Yamada; Kiyohiro et al.
1	US 6419467 B1	20020716	Structure for suction valve of piston type compressor	417/504	137/855; 417/560; 417/571	Murase; Muneharu et al.
1	US 6416297 B1	20020709	Stopping means for preventing movement of the drive shaft of a variable displacement compressor	417/222.2	417/365	Kawaguchi; Masahiro et al.
1	US 6412294 B2	20020702	Control device of variable displacement compressor	62/228.3	62/229; 62/323.1	Kimura; Kazuya et al.
1	US 6398516 B1	20020604	Variable displacement compressors and control valves for variable displacement compressors	417/222.2	·	Kawaguchi; Masahiro et al.
1	US 6395533 B1	20020528	Recovering microorganisms from soil by suspending soil in a citrate buffer	435/252.1	435/243; 435/261; 435/262.5; 435/264; 435/270; 435/822	Kawaguchi; Masahiro et al.
1	US 6393849 B1	20020528	Air-conditioning apparatus and control procedure for variable displacement compressor	62/133	62/209; 62/215; 62/228.1	Takenaka; Kenji et al.
1	US 6390784 B1	20020521	Solenoid protector for a variable displacement compressor	417/222.2	417/270	Kawaguchi; Masahiro et al.
1	US	20020521	Controller for	62/115	417/222.2;	Ota; Masaki et

٠

•

ì	6389824		variable		62/227;	al.
	B2		displacement		62/417	
			compressor			
1	US	20020514	Control valve of	417/222.2		Kimura;
	6386834		displacement		:	Kazuya et al.
	B1		variable compressor			
1	US	20020514	Displacement	62/115	62/133;	Ota; Masaki e
	6385979		control apparatus		62/209;	al.
	B2		and method for		62/228.3	
			variable			
1			displacement			
	*		compressor			
1	US	20020507	Control valve in	417/222.2		Ota; Masaki
	6382926		variable			al.
	B2		displacement			
			compressor			
1	US	20020430	Suction valve in	417/222.2	417/269	Ota; Masaki e
	6379121		variable			al.
	B1		displacement			
			compressor			
1	US	20020423	Compressor for a	D15/9		Kawaguchi;
	D456029		vehicle air			Masahiro et a
	S		conditioner		·	
1	US	20020416	Control valve for	417/222.2	92/12.2	Ota; Masaki e
	6371734		variable			al.
	B1		displacement			
			compressor			1
1	US	20020416	Torque sensor with	73/862.333	73/862;	Kouketsu;
	6370967		joint means for		73/862.08;	Yoshitaka et
	B1		producing a		73/862.331	al.
:			consistent magnetic			
L			effect			
1	US	20020409	Variable	417/222.2	417/269;	Fukanuma;
	6368069		displacement		92/71	Tetsuhiko et
	B1		compressor			al.
1	US	20020409	Method for soil	405/128.45	405/129.6;	Sugawa;
	6368019		remediation	•	588/249	Etsuko et al.
L.	B2					
1	US	20020326	Compressor for a	D15/9		Kawaguchi;
ſ	D454889		vehicle air			Masahiro et a
L	S		conditioner			
1	US	20020326	Displacement	417/222.2		Ota; Masaki
	6361283		control valve		·	al.
	B1					
1	US	20020312	Air-conditioning	701/36	62/133	Takenaka;
1	6356825		system for			Kenji et al.